

Annex D (normative)

RDs associated with physical objects

D.1 Introduction

This annex presents the specification of RDs whose parameters are determined as a result of measurements of a physical object. Parameter values are specified by value or by reference. Parameters specified by reference use the terminology of the cited references. Those terms are enclosed in brackets ({ }). Referenced values in length units other than metres are converted to metres to specify the corresponding RD parameter. The zero value of flattening for a sphere RD is a precise value.

Abbreviations used in labels in this annex are defined in [Annex F](#).

D.2 RDs

The elements of an ORM specification are defined in [Table 7.9](#). [Table D.1](#) is a directory of these RDs organized by the type of RD surface. The RD entries in each table are grouped by physical object type and then ordered alphabetically by their label. [Table D.1](#) includes RDs specified in this annex and deprecated RDs specified in [Annex J](#).

Table D.1 — RD specification directory

RD specification table	Tables
non-sphere Oblate ellipsoid RD specifications	Table D.2 and Table J.2
Sphere RD specifications	Table D.3 and Table J.3
Prolate ellipsoid RD specifications	Table D.4 and Table J.4
Tri-axial ellipsoid RD specifications	Table D.5 and Table J.5

Table D.2 — Oblate ellipsoid RD specifications

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
Object type: Earth							
AIRY_1830	17	Airy	6 377 563,396	1/299,324 964 6	Assumed precise	1830	[83502T, App. A-1, "AA"]
APL_4r5_1968	20	APL 4.5	6 378 144	1/298,23	Unknown	1968	[DIGEST, Table 6.1, "AP"]
AUSTRALIAN_NATIONAL_1966	23	Australian National	6 378 160	1/298,25	Assumed precise	1966	[83502T, App. A-1, "AN"]
AVERAGE_TERRESTRIAL_1977	24	Average Terrestrial System	6 378 135	1/298,257	Unknown	1977	[DIGEST, Table 6.1, "AT"]
BESSEL_1841_ETHIOPIA	26	Bessel (Ethiopia, Indonesia, Japan, and Korea)	6 377 397,155	1/299,152 812 8	Assumed precise	1841	[83502T, App. A-1, "BR"]
BESSEL_1841_NAMIBIA	27	Bessel (Namibia)	6 377 483,865	1/299,152 812 8	Assumed precise	1841	[83502T, App. A-1, "BN"]
CLARKE_1858	33	Clarke	6 378 235,6	1/294,260 676 8	Unknown	1858	[DIGEST, Table 6.1, "CA"]
CLARKE_1858_MODIFIED	34	Clarke - Modified	6 378 293,645	1/294,26	Unknown	1858	[DIGEST, Table 6.1, "CB"]
CLARKE_1866	35	Clarke	6 378 206,4	1/294,978 698 2	Assumed precise	1866	[83502T, App. A-1, "CC"]
CLARKE_1880	36	Clarke	6 378 249,145	1/293,465	Assumed precise	1880	[83502T, App. A-1, "CD"]
CLARKE_1880_CAPE	37	Clarke - Cape	6 378 249,145	1/293,466 307 7	Unknown	1880	[DIGEST, Table 6.1, "CE"]

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
CLARKE_1880_FIJI	38	Clarke - Fiji	6 378 301	1/293,465	Unknown	1880	[DIGEST , Table 6.1, "CJ"]
CLARKE_1880_IGN	39	Clarke - IGN	6 378 249,2	1/293,466 020 8	Unknown	1880	[DIGEST , Table 6.1, "CG"]
CLARKE_1880_PALESTINE	40	Clarke - Palestine	6 378 300,782	1/293,466 307 7	Unknown	1880	[DIGEST , Table 6.1, "CF"]
CLARKE_1880_SYRIA	41	Clarke - Syria	6 378 247,842	1/293,466 351 7	Unknown	1880	[DIGEST , Table 6.1, "CI"]
DANISH_1876	45	Danish - Andrae	6 377 104,430	1/300	Unknown	1876	[DIGEST , Table 6.1, "DA"]
DELAMBRE_1810	47	Delambre	6 376 985,228	1/308,64	Unknown	1810	[DIGEST , Table 6.1, "DB"]
EVEREST_1948	57	Everest	6 377 304,063	1/300,801 7	Assumed precise	1948	[83502T , App. A-1, "EE"]
EVEREST_1956	58	Everest	6 377 301,243	1/300,801 7	Assumed precise	1956	[83502T , App. A-1, "EC"]
EVEREST_1969	60	Everest	6 377 295,664	1/300,801 7	Assumed precise	1969	[83502T , App. A-1, "ED"]
EVEREST_ADJ_1937	56	Everest 1830 - Adjusted	6 377 276,345	1/300,801 7	Assumed precise	1937	[83502T , App. A-1, "EA"]
EVEREST_BRUNEI_1967	61	Everest 1830 - 1967 definition (Brunei and East Malaysia - Sabah and Sarawak)	6 377 298,556	1/300,801 7	Assumed precise	1967	[83502T , App. A-1, "EB"]
EVEREST_REVISIED_1962	59	Everest 1830 - Revised definition	6 377 309,613	1/300,801 7	Assumed precise	1962	[83502T , App. A-1, "EF"]

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
FISCHER_1960	62	Fischer - Mercury	6 378 166	1/298,3	Unknown	1960	[DIGEST, Table 6.1, "FM"]
FISCHER_1968	63	Fischer	6 378 150	1/298,3	Unknown	1968	[DIGEST, Table 6.1, "FC"]
GRS_1967	67	GRS	6 378 160	1/298,247 167 4	Unknown	1967	[DIGEST, Table 6.1, "RE"]
GRS_1980	68	GRS	6 378 137	1/298,257 222 101	Assumed precise	1980	[83502T, App. A-1, "RF"]
HELMERT_1906	70	Helmert	6 378 200	1/298,3	Assumed precise	1906	[83502T, App. A-1, "HE"]
HOUGH_1960	72	Hough	6 378 270	1/297	Assumed precise	1960	[83502T, App. A-1, "HO"]
IAG_1975	74	IAG Best Estimate	6 378 140	1/298,257	Unknown	1975	[DIGEST, Table 6.1, "IA"]
INDONESIAN_1974	77	Indonesian	6 378 160	1/298,247	Assumed precise	1974	[83502T, App. A-1, "ID"]
INTERNATIONAL_1924	78	International	6 378 388	1/297	Assumed precise	1924	[83502T, App. A-1, "IN"]
KRASOVSKY_1940	84	Krassovsky	6 378 245	1/298,3	Assumed precise	1940	[83502T, App. A-1, "KA"]
KRAYENHOFF_1827	85	Krayenhoff	6 376 950,4	1/309,65	Unknown	1827	[DIGEST, Table 6.1, "KB"]
MODIFIED_AIRY_1849	97	Modified Airy	6 377 340,189	1/299,324 964 6	Assumed precise	1849	[83502T, App. A-1, "AM"]
MODIFIED_FISCHER_1960	98	Modified Fischer	6 378 155	1/298,3	Assumed precise	1960	[83502T, App. A-1, "FA"]

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
PLESSIS_MODIFIED_1817	115	Plessis - Modified	6 376 523	1/308,64	Unknown	1817	[DIGEST, Table 6.1, "PM"]
SOUTH_AMERICAN_1969	125	South American	6 378 160	1/298,25	Assumed precise	1969	[83502T, App. A-1, "SA"]
SOVIET_GEODETTIC_1985	126	Soviet Geodetic System	6 378 136	1/298,257	Unknown	1985	[DIGEST, Table 6.1, "SG"]
SOVIET_GEODETTIC_1990	127	Soviet Geodetic System	6 378 136	1/298,257 839 3	Unknown	1990	[DIGEST, Table 6.1, "SN"]
STRUVE_1860	128	Struve	6 378 298,3	1/294,73	Unknown	1860	[DIGEST, Table 6.1, "ST"]
WALBECK_AMS_1963	140	Walbeck 1819 - AMS	6 376 896	1/302,78	Unknown	1963	[DIGEST, Table 6.1, "WB"]
WALBECK_PLANHEFT_1942	141	Walbeck 1819 - Planheft	6 376 895	1/302,782 156 5	Unknown	1942	[DIGEST, Table 6.1, "WA"]
WAR_OFFICE_1924	142	War Office - McCaw	6 378 300	1/296	Unknown	1924	[DIGEST, Table 6.1, "WO"]
WGS_1972	146	World Geodetic System	6 378 135	1/298,26	Assumed precise	1972	[83502T, App. A-1, "WD"]
WGS_1984	145	World Geodetic System	6 378 137	1/298,257 223 563	Assumed precise	1984	[83502T, App. A-1, "WE"]
Object type: Planet (non-Earth)							
JUPITER_1988	82	Jupiter	71 492 000	1/15,414	As specified accompanying the parameter value	1988	[RIIC06, Table 4, "Jupiter"]
MARS_2000	89	Mars	3 396 190	1/169,894	As specified accompanying the parameter value	2000	[RIIC06, Table 4, "Mars"]

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
NEPTUNE_1991	105	Neptune	24 764 000	1/58,544	As specified accompanying the parameter value	1991	[RIIC06, Table 4, "Neptune"]
SATURN_1988	123	Saturn	60 268 000	1/10,208	As specified accompanying the parameter value	1988	[RIIC06, Table 4, "Saturn"]
URANUS_1988	138	Uranus	25 559 000	1/43,616	As specified accompanying the parameter value	1988	[RIIC06, Table 4, "Uranus"]
Object type: Satellite							
LARISSA_1991	86	Larissa (satellite of Neptune)	104 000	1/6,93	As specified accompanying the parameter value	1991	[RIIC06, Table 5, "Larissa"]
METIS_2000	93	Metis (satellite of Jupiter)	30 000	1/3	As specified accompanying the parameter value	2000	[RIIC06, Table 5, "Metis"]
Object type: Sun							

Table D.3 — Sphere RD specifications

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
Object type: Earth							
COAMPS_1998	42	COAMPS TM	6 371 229	0	Precise	1998	[ERNWM , Table 1, "COAMPS"]
MASS_1999	91	MASS	6 371 221,3	0	Precise	1999	[ERNWM , Table 1, "MASS"]
MM5_1997	96	MM5 (AFWA)	6 370 000	0	Precise	1997	[ERNWM , Table 1, "MM5 (AFWA)"]
MODTRAN_MIDLATITUDE_1989	99	MODTRAN (midlatitude regions)	6 371 230	0	Precise	1989	[ERNWM , Table 1, "MODTRAN, Midlatitude"]
MODTRAN_SUBARCTIC_1989	100	MODTRAN (subarctic regions)	6 356 910	0	Precise	1989	[ERNWM , Table 1, "MODTRAN, Subarctic"]
MODTRAN_TROPICAL_1989	101	MODTRAN (tropical regions)	6 378 390	0	Precise	1989	[ERNWM , Table 1, "MODTRAN, Tropical"]
MULTIGEN_FLAT_EARTH_1989	103	Multigen Flat Earth	6 366 707,02	0	Precise	1989	[MFCG]
NOGAPS_1988	107	NOGAPS	6 371 000	0	Precise	1988	[ERNWM , Table 1, "NOGAPS"]

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
Object type: Planet (non-Earth)							
MARS_SPHERE_2000	90	Mars	3 389 500	0	As specified accompanying the parameter value	2000	[RIIC06, Table 4, "Mars"]
MERCURY_2000	92	Mercury	2 439 700	0	As specified accompanying the parameter value	2000	[RIIC06, Table 4, "Mercury"]
PLUTO_1994	116	Pluto	1 195 000	0	As specified accompanying the parameter value	1994	[RIIC06, Table 4, "Pluto"]
VENUS_1991	139	Venus	6 051 800	0	As specified accompanying the parameter value	1991	[RIIC06, Table 4, "Venus"]
Object type: Satellite							
ANANKE_1988	19	Ananke (satellite of Jupiter)	10 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Ananke"]
BELINDA_1988	25	Belinda (satellite of Uranus)	33 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Belinda"]
BIANCA_1988	28	Bianca (satellite of Uranus)	21 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Bianca"]
CARME_1988	31	Carme (satellite of Jupiter)	15 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Carme"]

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
CHARON_2006	147	Charon (satellite of Pluto)	605 000	0	As specified accompanying the parameter value	2006	[RIIC06, Table 5, "Charon"]
CORDELIA_1988	43	Cordelia (satellite of Uranus)	13 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Cordelia"]
CRESSIDA_1988	44	Cressida (satellite of Uranus)	31 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Cressida"]
DESDEMONA_1988	48	Desdemona (satellite of Uranus)	27 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Desdemona"]
DESPINA_1991	49	Despina (satellite of Neptune)	74 000	0	As specified accompanying the parameter value	1991	[RIIC06, Table 5, "Despina"]
ELARA_1988	51	Elara (satellite of Jupiter)	40 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Elara"]
GALATEA_1991	64	Galatea (satellite of Neptune)	79 000	0	As specified accompanying the parameter value	1991	[RIIC06, Table 5, "Galatea"]
HELENE_1992	69	Helene (satellite of Saturn)	17 500	0	As specified accompanying the parameter value	1992	[RIIC06, Table 5, "Helene"]
HIMALIA_1988	71	Himalia (satellite of Jupiter)	85 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Himalia"]

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
JULIET_1988	81	Juliet (satellite of Uranus)	42 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Juliet"]
LEDA_1988	87	Leda (satellite of Jupiter)	5 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Leda"]
LYSITHEA_1988	88	Lysithea (satellite of Jupiter)	12 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Lysithea"]
MOON_1991	102	Moon (satellite of Earth)	1 737 400	0	As specified accompanying the parameter value	1991	[RIIC06, Table 5, "Moon"]
NAIAD_1991	104	Naiad (satellite of Neptune)	29 000	0	As specified accompanying the parameter value	1991	[RIIC06, Table 5, "Naiad"]
NEREID_1991	106	Nereid (satellite of Neptune)	170 000	0	As specified accompanying the parameter value	1991	[RIIC06, Table 5, "Nereid"]
OBERON_1988	108	Oberon (satellite of Uranus)	761 400	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Oberon"]
OPHELIA_1988	109	Ophelia (satellite of Uranus)	15 000	0	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Ophelia"]
PAN_1991	110	Pan (satellite of Saturn)	10 000	0	As specified accompanying the parameter value	1991	[RIIC06, Table 5, "Pan"]

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
PASIPHAЕ_1988	112	Pasiphae (satellite of Jupiter)	18 000	0	As specified accompanying the parameter value	1988	[RIIC06] , Table 5, "Pasiphae"]
PORTIA_1988	117	Portia (satellite of Uranus)	54 000	0	As specified accompanying the parameter value	1988	[RIIC06] , Table 5, "Portia"]
PUCK_1988	120	Puck (satellite of Uranus)	77 000	0	As specified accompanying the parameter value	1988	[RIIC06] , Table 5, "Puck"]
ROSALIND_1988	122	Rosalind (satellite of Uranus)	27 000	0	As specified accompanying the parameter value	1988	[RIIC06] , Table 5, "Rosalind"]
SINOPE_1988	124	Sinope (satellite of Jupiter)	14 000	0	As specified accompanying the parameter value	1988	[RIIC06] , Table 5, "Sinope"]
THALASSA_1991	132	Thalassa (satellite of Neptune)	40 000	0	As specified accompanying the parameter value	1991	[RIIC06] , Table 5, "Thalassa"]
TITAN_1982	134	Titan (satellite of Saturn)	2 575 000	0	As specified accompanying the parameter value	1982	[RIIC06] , Table 5, "Titan"]
TITANIA_1988	135	Titania (satellite of Uranus)	788 900	0	As specified accompanying the parameter value	1988	[RIIC06] , Table 5, "Titania"]
TRITON_1991	136	Triton (satellite of Neptune)	1 352 600	0	As specified accompanying the parameter value	1991	[RIIC06] , Table 5, "Triton"]

RD label	RD code	Description	Parameters			Date	References
			Major semi-axis, a	Flattening, f	Error estimate		
UMBRIEL_1988	137	Umbriel (satellite of Uranus)	584 700	0	As specified accompanying the parameter value	1988	[RIIC06] , Table 5, "Umbriel"]
Object type: Sun							
SUN_1992	129	Sun	696 000 000	0	As specified accompanying the parameter value	1992	[SEID] , Table 15.4, "Sun"]

Table D.4 — Prolate ellipsoid RD specifications

RD label	RD code	Description	Parameters			Date	References
			Minor semi-axis, a	Flattening, f	Error estimate		
Object type: Earth							
Object type: Planet (non-Earth)							
Object type: Satellite							
Object type: Sun							

Table D.5 — Tri-axial ellipsoid RD specifications³⁵

RD label	RD code	Description	Parameters				Date	References
			Semi-axis, a	Semi-axis, b	Semi-axis, c	Error estimate		
Object type: Earth								
Object type: Planet (non-Earth)								
EROS_2006	150	Eros (asteroid 433, a minor planet)	17 000	5 500	5 500	As specified accompanying the parameter value	2006	[RIIC06, Table 6, "Eros"]
GASPRA_1991	66	Gaspra (asteroid 951, a minor planet)	9 100	5 200	4 400	As specified accompanying the parameter value	1991	[RIIC06, Table 6, "Gaspra"]
IDA_1991	76	Ida (asteroid 293, a minor planet)	26 800	12 000	7 600	As specified accompanying the parameter value	1991	[RIIC06, Table 6, "Ida"]
Object type: Satellite								
ADRASTEIA_2000	16	Adrastea (satellite of Jupiter)	10 000	8 000	7 000	As specified accompanying the parameter value	2000	[RIIC06, Table 5, "Adrastea"]
AMALTHEA_2000	18	Amalthea (satellite of Jupiter)	125 000	73 000	64 000	As specified accompanying the parameter value	2000	[RIIC06, Table 5, "Amalthea"]
ARIEL_1988	21	Ariel (satellite of Uranus)	581 100	577 900	577 700	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Ariel"]

³⁵ Because the hydrostatic shape of a body in synchronous rotation about a larger body is approximately a tri-axial ellipsoid, the a , b , and c semi-axes of RDs for satellites are respectively the equatorial subplanetary, equatorial along orbit, and polar semi-axes. For asteroids, the semi-axes are ordered by descending size. Asteroids may be extremely irregular in shape and their fit by a tri-axial ellipsoid may be poor. However, a tri-axial ellipsoid is a common reference shape for photometric analysis of such bodies.

RD label	RD code	Description	Parameters				Date	References
			Semi-axis, a	Semi-axis, b	Semi-axis, c	Error estimate		
ATLAS_1988	22	Atlas (satellite of Saturn)	18 500	17 200	13 500	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Atlas"]
CALLISTO_2000	29	Callisto (satellite of Jupiter)	2 409 400	2 409 200	2 409 300	As specified accompanying the parameter value	2000	[RIIC06, Table 5, "Callisto"]
CALYPSO_1988	30	Calypso (satellite of Saturn)	15 000	8 000	8 000	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Calypso"]
DEIMOS_1988	46	Deimos (satellite of Mars)	7 500	6 100	5 200	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Deimos"]
DIONE_2006	148	Dione (satellite of Saturn)	563 800	561 000	560 300	As specified accompanying the parameter value	2006	[RIIC06, Table 5, "Dione"]
ENCELADUS_2006	149	Enceladus (satellite of Saturn)	256 600	251 400	248 300	As specified accompanying the parameter value	2006	[RIIC06, Table 5, "Enceladus"]
EPIMETHEUS_1988	53	Epimetheus (satellite of Saturn)	69 000	55 000	55 000	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Epimetheus"]
EUROPA_2000	55	Europa (satellite of Jupiter)	1 564 130	1 561 230	1 560 930	As specified accompanying the parameter value	2000	[RIIC06, Table 5, "Europa"]
GANYMEDE_2000	65	Ganymede (satellite of Jupiter)	2 632 400	2 632 290	2 632 350	As specified accompanying the parameter value	2000	[RIIC06, Table 5, "Ganymede"]
HYPERION_2000	73	Hyperion (satellite of Saturn)	164 000	130 000	107 000	As specified accompanying the parameter value	2000	[RIIC06, Table 5, "Hyperion"]

RD label	RD code	Description	Parameters				Date	References
			Semi-axis, <i>a</i>	Semi-axis, <i>b</i>	Semi-axis, <i>c</i>	Error estimate		
IAPETUS_2006	151	Iapetus (satellite of Saturn)	747 400	747 400	712 400	As specified accompanying the parameter value	2006	[RIIC06, Table 5, "Iapetus"]
IO_2000	79	Io (satellite of Jupiter)	1 829 400	1 819 300	1 815 700	As specified accompanying the parameter value	2000	[RIIC06, Table 5, "Io"]
JANUS_1988	80	Janus (satellite of Saturn)	97 000	95 000	77 000	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Janus"]
MIMAS_2006	152	Mimas (satellite of Saturn)	207 400	196 800	190 600	As specified accompanying the parameter value	2006	[RIIC06, Table 5, "Mimas"]
MIRANDA_1988	95	Miranda (satellite of Uranus)	240 400	234 200	232 900	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Miranda"]
PANDORA_1988	111	Pandora (satellite of Saturn)	55 000	44 000	31 000	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Pandora"]
PHOBOS_1988	113	Phobos (satellite of Mars)	13 400	11 200	9 200	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Phobos"]
PHOEBE_2006	153	Phoebe (satellite of Saturn)	108 600	170 700	101 500	As specified accompanying the parameter value	2006	[RIIC06, Table 5, "Phoebe"]
PROMETHEUS_1988	118	Prometheus (satellite of Saturn)	74 000	50 000	34 000	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Prometheus"]
PROTEUS_1991	119	Proteus (satellite of Neptune)	218 000	208 000	201 000	As specified accompanying the parameter value	1991	[RIIC06, Table 5, "Proteus"]

RD label	RD code	Description	Parameters				Date	References
			Semi-axis, <i>a</i>	Semi-axis, <i>b</i>	Semi-axis, <i>c</i>	Error estimate		
RHEA_2006	154	Rhea (satellite of Saturn)	767 200	762 500	763 100	As specified accompanying the parameter value	2006	[RIIC06, Table 5, "Rhea"]
TELESTO_1988	130	Telesto (satellite of Saturn)	15 000	12 500	7 500	As specified accompanying the parameter value	1988	[RIIC06, Table 5, "Telesto"]
TETHYS_2006	155	Tethys (satellite of Saturn)	540 400	531 100	527 500	As specified accompanying the parameter value	2006	[RIIC06, Table 5, "Tethys"]
THEBE_2000	133	Thebe (satellite of Jupiter)	58 000	49 000	42 000	As specified accompanying the parameter value	2000	[RIIC06, Table 5, "Thebe"]
Object type: Sun								

<http://standards.iso.org/ittf/PubliclyAvailableStandards/>